

[illegible]

In re Application of

• • • • •

Group Art Unit:

Examiner:

For: **WIRELESS DISPLAY SYSTEM, METHOD AND COMPUTER PROGRAM MEDIA THEREFOR**

Commissioner for Patents
Washington, DC 20231

Prior to examination of the above-referenced application, please amend the application as follows:

Please replace the paragraph beginning at page 16, line 15, with the following rewritten paragraph:

--In Fig. 11, a PC main body 1101 corresponds to the data processing device, and a display 1102, to the image display device. An LCD panel 1103 is display means, a touch panel 1104 and an operation button 1105 are input means, and a GPS receiver 1106 is data input and output means. In Fig. 11, the GPS receiver 1106 is connected to the display 1102 through a cable, but it may be also incorporated in the display 1102.--

IN THE CLAIMS:

Please delete the second claim 5.

Please amend claims 4-7 to read as follows:

4. (Amended) The wireless display system of claim 2,
wherein said image display device further comprises display means for displaying the image and operating means to be operated by the user, and said power saving control means sets said display means and operating means in power saving state in the first power saving mode.

5. (Amended) The wireless display system of claim 1,
wherein said wireless communication means comprises means for measuring the communication rate of all data including the image data transmitted from the data processing device and displayed in the image display device, and the communication rate of the wireless communication is controlled by decimating the updating of the image data at specific intervals when the communication rate exceeds a certain rate of the effective communication rate of the wireless communication.

6. (Amended) The wireless display system of claim 1,
wherein said input and output means is a universal serial communication interface.

7. (Amended) The wireless display system of claim 1,
wherein said data input and output means is at least one of barcode reader, tester, digital camera, card reader, scanner, and GPS.

Please add new claims 10-19 as follows:

10. The wireless display system of claim 3,
wherein said image display device further comprises display means for displaying the image and operating means to be operated by the user, and said power saving control means sets said display means and operating means in power saving state in the first power saving mode.

11. The wireless display system of claim 2,
wherein said wireless communication means comprises means for measuring the communication rate of all data including the image data transmitted from the data processing device and displayed in the image display device, and the communication rate of the wireless communication is controlled by decimating the updating of the image data at specific intervals when the communication rate exceeds a certain rate of the effective communication rate of the wireless communication.

12. The wireless display system of claim 3,
wherein said wireless communication means comprises means for measuring the communication rate of all data including the image data transmitted from the data processing device and displayed in the image display device, and the communication rate of the wireless communication is controlled by decimating the updating of the image data at specific intervals when the communication rate exceeds a certain rate of the effective communication rate of the wireless communication.

13. The wireless display system of claim 1,
 wherein the data from said data input and output means is used for connection
 verification in wireless connection between the data processing device and image display device,
 or for user authentication in the data processing device.

14. The wireless display system of claim 2,
 wherein the data from said data input and output means is used for connection
 verification in wireless connection between the data processing device and image display device,
 or for user authentication in the data processing device.

15. The wireless display system of claim 3,
 wherein the data from said data input and output means is used for
 connection verification in wireless connection between the data processing device and image
 display device, or for user authentication in the data processing device.

16. The wireless display system of claim 2,
 wherein said input and output means is a universal serial
 communication interface.

17. The wireless display system of claim 3
 wherein said input and output means is a universal serial
 communication interface.

18. The wireless display system of claim 2,
 wherein said data input and output means is at least one of
 barcode reader, tester, digital camera, card reader, scanner, and GPS.

19. The wireless display system of claim 3,
wherein said data input and output means is at least one of
barcode reader, tester, digital camera, card reader, scanner, and GPS.

REMARKS

The above-referenced application is being amended to delete the multiple dependency of claims 4-7 to avoid the multiple dependent claim filing fee and to add new claims 10-19. In addition, duplicate claim 5 is has be eliminated, and replaced with new claims 13-15. Attached is a marked-up version of the claims as amended. Entry of this preliminary amendment is respectfully requested.

Respectfully submitted,

MCDERMOTT, WILL & EMERY



Michael E. Fogarty
Registration No. 36,139

600 13th Street, N.W.
Washington, DC 20005-3096
(202) 756-8000 MEF:prp
Date: August 20, 2001
Facsimile: (202) 756-8087



MARKED-UP VERSION OF AMENDMENTS

IN THE SPECIFICATION:

Paragraph at line 15, page 16 has been amended as follows:

In Fig. 11, a PC main body 1101 corresponds to the data processing device, and a display 1102, to the image display device. An LCD panel 1103 is display means, a touch panel 1104 and an operation button 1105 are input means, and a GPS receiver 1106 is data input and output means. In Fig. 11, the GPS receiver 1106 is connected to the display 1102 through a cable, but it may be also incorporated in the display [1106] 1102.

IN THE CLAIMS:

The second Claim 5 has been deleted.

Claims 4-7 have been amended as follows:

4. The wireless display system of claim 2 [or 3],

wherein said image display device further comprises display means for displaying the image and operating means to be operated by the user, and said power saving control means sets said display means and operating means in power saving state in the first power saving mode.

5. The wireless display system of claim 1, [2 or 3,]

wherein said wireless communication means comprises means for measuring the communication rate of all data including the image data transmitted from the data processing device and displayed in the image display device, and the communication rate of the wireless communication is controlled by decimating the updating of the image data at specific intervals when the communication rate exceeds a certain rate of the effective communication rate of the

wireless communication.

6. The wireless display system of claim 1, [2 or 3,]

wherein said input and output means is universal serial communication interface.

7. The wireless display system of claim 1, [2 or 3,]

wherein said data input and output means is at least one of barcode reader, tester, digital cameral , card reader, scanner, and GPS.

New Claims 10-19 have been added as follows:

10. The wireless display system of claim 3,

wherein said image display device further comprises display means for displaying the image and operating means to be operated by the user, and said power saving control means sets said display means and operating means in power saving state in the first power saving mode.

11. The wireless display system of claim 2,

wherein said wireless communication means comprises means for measuring the communication rate of all data including the image data transmitted from the data processing device and displayed in the image display device, and the communication rate of the wireless communication is controlled by decimating the updating of the image data at specific intervals when the communication rate exceeds a certain rate of the effective communication rate of the wireless communication.

12. The wireless display system of claim 3,

wherein said wireless communication means comprises means for measuring the communication rate of all data including the image data transmitted from the data processing device and displayed in the image display device, and the communication rate of the wireless communication is controlled by decimating the updating of the image data at specific intervals when the communication rate exceeds a certain rate of the effective communication rate of the wireless communication.

13. The wireless display system of claim 1,

wherein, the data from said data input and output means is used for connection verification in wireless connection between the data processing device and image display device, or for user authentication in the data processing device.

14. The wireless display system of claim 2,

wherein, the data from said data input and output means is used for connection verification in wireless connection between the data processing device and image display device, or for user authentication in the data processing device.

15. The wireless display system of claim 3,

wherein, the data from said data input and output means is used for connection verification in wireless connection between the data processing device and image display device, or for user authentication in the data processing device.

16. The wireless display system of claim 2,
wherein said input and output means is universal serial
communication interface.

17. The wireless display system of claim 3
wherein said input and output means is universal serial
communication interface.

18. The wireless display system of claim 2,
wherein said data input and output means is at least one of
barcode reader, tester, digital cameral , card reader, scanner, and GPS.

19. The wireless display system of claim 3,
wherein said data input and output means is at least one of
barcode reader, tester, digital cameral , card reader, scanner, and GPS.